# **RESENE WATERBORNE URACRYL 802 BASE**

# Resene Paints (Australia) Limited

Version No: 2.3

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 09/02/2023 Print Date: 09/02/2023 L.GHS.AUS.EN

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

### **Product Identifier**

Product name	RESENE WATERBORNE URACRYL 802 BASE	
Synonyms	ncl. White Mid, Ultra Deep, MIOX bases	
Other means of identification	Not Available	

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	10084, 10214, 11024, 11025
--------------------------	----------------------------

### Details of the manufacturer or supplier of the safety data sheet

Registered company name	Resene Paints (Australia) Limited	Resene Paints (Australia) Limited
Address	7 Production Avenue, Molendinar Queensland 4214 Australia	7 Production Avenue, Molendinar Queensland 4214 Australia
Telephone	+61 7 55126600	+61 7 55126600
Fax	+61 7 55126697	+61 7 55126697
Website	www.resene.com.au	www.resene.com.au
Email Not Available		Not Available

### **Emergency telephone number**

Association / Organisation	AUSTRALIAN POISONS CENTRE	AUSTRALIAN POISONS CENTRE	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	131126	131126	+61 1800 951 288
Other emergency telephone numbers	Not Available	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

# **SECTION 2 Hazards identification**

### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable	
Classification [1]	Sensitisation (Skin) Category 1B, Hazardous to the Aquatic Environment Long-Term Hazard Category 4	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

# Label elements

Hazard pictogram(s)



Signal word Warning

### Hazard statement(s)

· · · · · · · · · · · · · · · · · · ·		
H317	May cause an allergic skin reaction.	
H413	May cause long lasting harmful effects to aquatic life.	

# Supplementary statement(s)

Not Applicable

### Precautionary statement(s) Prevention

Frecautionary statement(s) Frevention		
P280	Wear protective gloves and protective clothing.	
P261	Avoid breathing mist/vapours/spray.	
P273	Avoid release to the environment.	

Version No: **2.3** Page **2** of **7** Issue Date: **09/02/2023** 

# **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

P272 Contaminated work clothing should not be allowed out of the workplace.

### Precautionary statement(s) Response

P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P362+P364 Take off contaminated clothing and wash it before reuse.		

# Precautionary statement(s) Storage

Not Applicable

# Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
Not Available	<0.5	benzotriazol derivatives
84133-50-6	<0.5 <u>alcohols C12-14 secondary ethoxylated</u>	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

# **SECTION 4 First aid measures**

### Description of first aid measures

•	
Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Firefighting measures**

# Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.		
Advice for firefighters			
Fire Fighting	▶ Alert Fire Brigade and tell them location and nature of hazard.		
Fire/Explosion Hazard	▶ Non combustible.		

# SECTION 6 Accidental release measures

HAZCHEM

# Personal precautions, protective equipment and emergency procedures

Not Applicable

See section 8

# **Environmental precautions**

See section 12

Version No: 2.3 Page 3 of 7 Issue Date: 09/02/2023

### **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

### Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately.  Contain spill with sawdust or sand then place in suitable container for disposal. Clean area with large quantity of water to complete clean- up.
Major Spills	Moderate hazard. Contain spill with sawdust or sand then place in suitable container for disposal. Clean area with large quantity of water to complete clean- up.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

# Precautions for safe handling

Safe handling	
---------------	--

▶ Avoid unnecessary personal contact, including inhalation.

▶ DO NOT allow clothing wet with material to stay in contact with skin

Other information

# Conditions for safe storage, including any incompatibilities

Suitable container	As supplied by manufacturer.
Storage incompatibility	None known

# **SECTION 8 Exposure controls / personal protection**

### **Control parameters**

Occupational Exposure Limits (OEL)

# INGREDIENT DATA

Not Available

### **Emergency Limits**

Ingredient	TEEL-1	TEEL-2		TEEL-3
RESENE WATERBORNE URACRYL 802 BASE	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
alcohols C12-14 secondary ethoxylated	Not Available		Not Available	

# Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
alcohols C12-14 secondary ethoxylated	Е	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.	

# MATERIAL DATA

# Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	► Safety glasses with side shields.
Skin protection	See Hand protection below
Hands/feet protection	▶ Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	► Overalls.

# Respiratory protection

Respiratory protection required in insufficiently ventilated working areas and during spraying. An approved respirator with a replaceable vapour/ mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to AS/NZS 1715 Standard, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 Standard, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Version No: **2.3** Page **4** of **7** Issue Date: **09/02/2023** 

# **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

# **SECTION 9 Physical and chemical properties**

Appearance	This product is a mixture		
Physical state	Liquid	Relative density (Water = 1)	1.35-1.50
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7.5-8.5	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	800-1000
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	35
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	53

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	▶ stable.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

# Information on toxicological effects

illorillation on toxicological el	16013		
Inhaled	The material is not thought to produce adverse health effects or irritatio models).	n of the respiratory tract (as classified by EC Directives using animal	
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).		
Еуе	Although the liquid is not thought to be an irritant (as classified by EC C characterised by tearing or conjunctival redness (as with windburn).	Directives), direct contact with the eye may produce transient discomfort	
Chronic	Practical experience shows that skin contact with the material is capable either of inducing a sensitisation reaction in a substantial number of individuals, and/or of producing a positive response in experimental animals.		
RESENE WATERBORNE	TOXICITY	IRRITATION	
URACRYL 802 BASE	Not Available	Not Available	
alcohols C12-14 secondary	TOXICITY	IRRITATION	
ethoxylated	Not Available	Not Available	

Version No: 2.3 Page 5 of 7 Issue Date: 09/02/2023

#### **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

#### Legend:

 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

#### RESENE WATERBORNE URACRYL 802 BASE

The following information refers to contact allergens as a group and may not be specific to this product.

No significant acute toxicological data identified in literature search.

Polyethers, for example, ethoxylated surfactants and polyethylene glycols, are highly susceptible towards air oxidation as the ether oxygens will stabilize intermediary radicals involved.

Human beings have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents, and other cleaning products .

Alcohol ethoxylates are according to CESIO (2000) classified as Irritant or Harmful depending on the number of EO-units:

EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) and R41 (Risk of serious damage to eyes)

EO > 5-15 gives Harmful (Xn) with R22 (Harmful if swallowed) - R38/41

ALCOHOLS C12-14 SECONDARY ETHOXYLATED EO > 15-20 gives Harmful (Xn) with R22-41 >20 EO is not classified (CESIO 2000)

Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) with R36/38 (Irritating to eyes and skin) .

AE are not included in Annex 1 of the list of dangerous substances of the Council Directive 67/548/EEC

In general, alcohol ethoxylates (AE) are readily absorbed through the skin of guinea pigs and rats and through the gastrointestinal mucosa of rats.

For high boiling ethylene glycol ethers (typically triethylene- and tetraethylene glycol ethers):

**Skin absorption:** Available skin absorption data for triethylene glycol ether (TGBE), triethylene glycol methyl ether (TGME), and triethylene glycol ethylene ether (TGEE) suggest that the rate of absorption in skin of these three glycol ethers is 22 to 34 micrograms/cm2/hr, with the methyl ether having the highest permeation constant and the butyl ether having the lowest.

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	<b>✓</b>	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

X - Data either not available or does not fill the criteria for classification

– Data available to make classification

# **SECTION 12 Ecological information**

#### Toxicity

RESENE WATERBORNE	Endpoint	Test Duration (hr)	Species	Value	Source
URACRYL 802 BASE	Not Available	Not Available	Not Available	Not Available	Not Available
	Finding	Total Domestica (Inc.)	Consider	Value	Carren
alcohols C12-14 secondary ethoxylated	Endpoint	Test Duration (hr)	Species	value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUC	CLID Toxicity Data 2. Europe ECHA	A Registered Substances - Ec	otoxicological Information -	Aquatic Toxicity 4. US E

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

### Bioaccumulative notential

Ingredient	Bioaccumulation
	No Data available for all ingredients

# Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

# **SECTION 13 Disposal considerations**

# Waste treatment methods

► Containers may still present a chemical hazard/ danger when empty.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

Product / Packaging disposal DO NOT allow wash water from cleaning or process equipment to enter drains.

Version No: 2.3 Page 6 of 7 Issue Date: 09/02/2023

#### **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

Recycle wherever possible.

Consult manufacturer for recycling option.

Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information. Do not discharge the substance into the environment.

# **SECTION 14 Transport information**

# **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

# Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
benzotriazol derivatives	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
benzotriazol derivatives	Not Available
alcohols C12-14 secondary ethoxylated	Not Available

# **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

alcohols C12-14 secondary ethoxylated is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

### **National Inventory Status**

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (benzotriazol derivatives; alcohols C12-14 secondary ethoxylated)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	No (benzotriazol derivatives; alcohols C12-14 secondary ethoxylated)		
Japan - ENCS	No (benzotriazol derivatives)		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (benzotriazol derivatives)		
Vietnam - NCI	Yes		
Russia - FBEPH	No (benzotriazol derivatives; alcohols C12-14 secondary ethoxylated)		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

# **SECTION 16 Other information**

Revision Date	09/02/2023
Initial Date	24/09/2018

### **SDS Version Summary**

Version	Date of Update	Sections Updated
1.3	08/02/2023	Classification

Version No: **2.3** Page **7** of **7** Issue Date: **09/02/2023** 

#### **RESENE WATERBORNE URACRYL 802 BASE**

Print Date: 09/02/2023

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard
OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.